

[Q61-Q70 Free Sharing Of Updated 70-764 VCE And PDF Dumps From Lead2pass

Free Updated Lead2pass 70-764 Exam Dumps Download: <https://www.lead2pass.com/70-764.html> QUESTION 61 You administer all the deployments of Microsoft SQL Server 2016 in your company. You need to ensure that an OLTP database that includes up-to-the-minute reporting requirements can be off-loaded from the primary database to another server. You also need to be able to add indexes to the secondary database. Which configuration should you use? A. Two servers configured in different data centers SQL Server Availability Group configured in Synchronous-Commit Availability Mode One server configured as an Active Secondary B. Two servers configured in the same data center SQL Server Availability Group configured in Asynchronous-Commit Availability Mode One server configured as an Active Secondary C. Two servers configured in the same data center A primary server configured to perform log-shipping every 10 minutes A backup server configured as a warm standby D. Two servers configured in different data centers SQL Server Availability Group configured in Asynchronous-Commit Availability Mode E. Two servers configured on the same subnet SQL Server Availability Group configured in Synchronous-Commit Availability Mode F. SQL Server that includes an application database configured to perform transactional replication G. SQL Server that includes an application database configured to perform snapshot replication H. Two servers configured in a Windows Failover Cluster in the same data center SQL Server configured as a clustered instance Answer: F QUESTION 62 You administer all the deployments of Microsoft SQL Server 2016 in your company. You need to ensure that data changes are sent to a non-SQL Server database server in near real time. You also need to ensure that data on the primary server is unaffected. Which configuration should you use? A. SQL Server that includes an application database configured to perform transactional replication B. Two servers configured in different data centers SQL Server Availability Group configured in Asynchronous-Commit Availability Mode C. Two servers configured in different data centers SQL Server Availability Group configured in Synchronous-Commit Availability Mode One server configured as an Active Secondary D. SQL Server that includes an application database configured to perform snapshot replication E. Two servers configured in the same data center SQL Server Availability Group configured in Asynchronous-Commit Availability Mode One server configured as an Active Secondary F. Two servers configured on the same subnet SQL Server Availability Group configured in Synchronous-Commit Availability Mode G. Two servers configured in a Windows Failover Cluster in the same data center SQL Server configured as a clustered instance H. Two servers configured in the same data center A primary server configured to perform log-shipping every 10 minutes A backup server configured as a warm standby Answer: A QUESTION 63 You administer all the deployments of Microsoft SQL Server 2016 in your company. A database contains a large product catalog that is updated periodically. You need to be able to send the entire product catalog to all branch offices on a monthly basis. Which configuration should you use? A. Two servers configured in the same data center A primary server configured to perform log-shipping every 10 minutes A backup server configured as a warm standby B. SQL Server that includes an application database configured to perform transactional replication C. Two servers configured in the same data center SQL Server Availability Group configured in Asynchronous-Commit Availability Mode One server configured as an Active Secondary D. Two servers configured in a Windows Failover Cluster in the same data center SQL Server configured as a clustered instance E. SQL Server that includes an application database configured to perform snapshot replication F. Two servers configured in different data centers SQL Server Availability Group configured in Synchronous-Commit Availability Mode One server configured as an Active Secondary G. Two servers configured on the same subnet SQL Server Availability Group configured in Synchronous-Commit Availability Mode H. Two servers configured in different data centers SQL Server Availability Group configured in Asynchronous-Commit Availability Mode Answer: E QUESTION 64 You administer all the deployments of Microsoft SQL Server 2016 in your company. You need to ensure that an OLTP database that uses a storage area network (SAN) remains available if any of the servers fail. You also need to minimize the amount of storage used by the database. Which configuration should you use? A. Two servers configured in different data centers SQL Server Availability Group configured in Synchronous-Commit Availability Mode One server configured as an Active Secondary B. SQL Server that includes an application database configured to perform transactional replication C. Two servers configured in the same data center SQL Server Availability Group configured in Asynchronous-Commit Availability Mode One server configured as an Active Secondary D. Two servers configured in different data centers SQL Server Availability Group configured in Asynchronous-Commit Availability Mode E. Two servers configured in the same data center A primary server configured to perform log-shipping every 10 minutes A backup server configured as a warm standby F. Two servers configured on the same subnet SQL Server Availability Group configured in Synchronous-Commit Availability Mode G. SQL Server that includes an application database configured to perform snapshot replication H. Two servers configured in a Windows Failover Cluster in the same data center SQL Server configured as a clustered instance Answer: H QUESTION 65 You administer a Microsoft

SQL Server 2016 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table: The differential backup of the reporting database fails. Then, the reporting database fails at 14:00 hours. You need to ensure that the reporting database is restored. You also need to ensure that data loss is minimal. What should you do? A. Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup. B. Perform a point-in-time restore. C. Restore the latest full backup. D. Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup. E. Restore the latest full backup. Then, restore the latest differential backup. F. Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup. G. Perform a page restore. H. Perform a partial restore. Answer: C

QUESTION 66 You administer a Microsoft SQL Server 2016 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table: At 14:00 hours, you discover that pages 71, 520, and 713 on one of the database files are corrupted on the reporting database. You need to ensure that the databases are restored. You also need to ensure that data loss is minimal. What should you do? A. Perform a partial restore. B. Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup. C. Restore the latest full backup. D. Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup. E. Perform a page restore. F. Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup. G. Perform a point-in-time restore. H. Restore the latest full backup. Then, restore the latest differential backup. Answer: H

QUESTION 67 You administer a Microsoft SQL Server 2016 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database. The recovery model and backup schedule are configured as shown in the following table: At 16:20 hours, you discover that pages 17, 137, and 205 on one of the database files are corrupted on the transactional database. You need to ensure that the transactional database is restored. You also need to ensure that data loss is minimal. What should you do? A. Perform a partial restore. B. Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup. C. Perform a point-in-time restore. D. Restore the latest full backup. E. Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup. F. Perform a page restore. G. Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup. H. Restore the latest full backup. Then, restore the latest differential backup. Answer: F

QUESTION 68 You administer several Microsoft SQL Server 2016 database servers. Merge replication has been configured for an application that is distributed across offices throughout a wide area network (WAN). Many of the tables involved in replication use the XML and varchar (max) data types. Occasionally, merge replication fails due to timeout errors. You need to reduce the occurrence of these timeout errors. What should you do? A. Set the Merge agent on the problem subscribers to use the slow link agent profile. B. Create a snapshot publication, and reconfigure the problem subscribers to use the snapshot publication. C. Change the Merge agent on the problem subscribers to run continuously. D. Set the Remote Connection Timeout on the Publisher to 0. Answer: A

QUESTION 69 You create an availability group named HaContoso that has replicas named Server01/HA, Server02/HA, and Server03/HA. Currently, Server01/HA is the primary replica. You need to ensure that the following requirements are met: - Backup operations occur on Server02/HA. - If Server02/HA is unavailable, backup operations occur on Server03/HA. - Backup operations do not occur on Server01/HA. How should you configure HaContoso? A. set the backup preference of HaContoso to Prefer Secondary. Set the backup priority of Server02/HA to 20. Set the backup priority of Server03/HA to 10. B. Set the backup preference of HaContoso to Secondary only. Set the backup priority of Server02/HA to 20. Set the backup priority of Server03/HA to 10. C. Set the backup preference of HaContoso to Secondary only. Set the backup priority of Server02/HA to 10. Set the backup priority of Server03/HA to 20. D. set the exclude replica of Server01/HA to true. Set the backup priority of Server02/HA to 10. Set the backup priority of Server03/HA to 20. Answer: B

QUESTION 70 You administer a Microsoft SQL Server 2016 instance that has several SQL Server Agent jobs configured. When SQL Server Agent jobs fail, the error messages returned by the job steps are truncated. The following error message is an example of the truncated error message: "Executed as user CONTOSOServiceAccount. ...0.4035.00 for 64-bit Copyright (C) Microsoft Corp 1984-2011. All rights reserved. Started 63513 PM Error 2012-06-23 183536.87 Code 0XC001000E Source UserImport Description Code 0x00000000 Source Log Import Activity Descript... The package execution fa... The step failed." You need to ensure that all the details of the job step failures are retained for SQL Server Agent jobs. What should you do? A. Expand agent logging to include information from all events. B.

Disable the Limit size of job history log feature.C. Configure event forwarding.D. Configure output files. Answer: D **70-764 dumps full version (PDF&VCE): <https://www.lead2pass.com/70-764.html> Large amount of free 70-764 exam questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDUjBoM0pVQnlUTIU>]** You may also need: 70-761 exam dumps: <https://drive.google.com/open?id=0B3Syig5i8gpDU2RSQnhzX2pIZVE> 70-762 exam dumps: <https://drive.google.com/open?id=0B3Syig5i8gpDMW9NcjJrQXlsMGs> 70-765 exam dumps: <https://drive.google.com/open?id=0B3Syig5i8gpDejczWp0aURaSnM> 70-767 exam dumps: <https://drive.google.com/open?id=0B3Syig5i8gpDdTF0R0taLWgxSmc> 70-768 exam dumps: <https://drive.google.com/open?id=0B3Syig5i8gpDZ2pRQkV6Vnc4dHc>